PL Range of Platform Scales



IECEX HAZARDOUS AREA PL (PLATFORM LEG) SERIES PLATFORM SCALES

Standard Platform Scales Built to most sizes and capacities

PL3000

Painted Galvanized Aluminum Stainless -

Options

Custom Sizing

12 month WARRANTY

IECEX APPROVED COMPONENTS

Custom Syles and Designed

NOT ALL PLATFORMS SCALES ARE THE SAME

Associated Scale Services Pty Ltd Ph:+61 (0)7 3272 0077 Email: info@associatedscales.com.au Web: www.associatedscales.com.au

IECEX HAZARDOUS AREA APPROVED PLATFORM SCALE

The **PL3000** platform is designed around a Leg that is directly attached to the load cell. This is the most common system found in the weighing industry and the most economical.

Associated Scale Service has designed these platforms to ensure rigidity of the top plate to assist in even loading of the weighing system.

Utilizing the ANYLOAD Load Cells and Junction Box we are able to supply platform scales into hazardous areas.

Please contact our sales department for all the certificates and options



Couple this with the Rice lake and Dini Argeo electronics we have the complete package



IEC 7	ECEx	IECEx C			
INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres for the set daths the SCh linew of evaluation					
Certificate No.:	IBOEx PMO 16:0018X		Insue No. 0	Certificate Natory Issue No. 0 (2011-02-35)	
Status:	Current				
Date of lesue:	2019-02-25		Page 1 of 4		
Applicant	Rice Lake Weighing Dysteme 200 W Gateman Rico Lake Wil 54800 United Diates of America				
liquipment Optional anneasory:	BI2 Weighing System				
Type of Protection:	14.100				
Marking	81210, 80210 Plus. Digital Weight Industry				
	Exis IC T4 Ga; Entry ; P66				
	Exia IIC T135°C Da, ENBy 1995				
	mb-8PG-100.346.X2. Power Supply				
	Exmb (is Ga) IC T4 Gb; Entry				
	Eximb (in De) INC T135°C Db; Ently				
	105V2. Ballery Woluis				
	Exis IO T4 Ge; Entry;				
	Exia IIC T13FC Da, ENBy				
Approved for issue on behalf of the IBCEx Cartification Body:		J.E. Marguedant			
Postor		VP, Manager - Electrica	al Systems		
Signature (for printed version)					
Date:					
2. This certificate is a	nt schedule may only be reproduced in full. not transferable and remains the property of the is urberticity of this certificate may be verified by vis	Insuing body. Mang the Official IECEs Web	iste.		

PL3000

Standard Sizes

Model	Common Capacity	Common Plate Size	Trade
PL3000	2000kg x 1kg	1200mm x 1200mm	Yes
	3000kg x 1kg		
PL3000-LL	1000kg x 0.5kg	1000mm x 1000mm	Yes
PL3000HD	3000kg x 1kg	1200mm x 1800mm	Yes
	6000kg x 2kg	1200mm x 2400mm	

Note with the PL3000, all PB series platforms, the sizes and capacities can be manufactured to customer specifications.

Dual Range is offed if required by the customer otherwise single range systems are supplied

Warranties include site time and parts but do not cover the travel to site, expenses for remote installation.

Specifications:

Base Construction	Mild Steel (Standard - Painted)
	Option - Galvanized
	 Option - Stainless Steel
	Option - Aluminum
Load Cell	563YH-EX IECEX Tool Steel
	Option –
	563YS-EX IECEX Stainless Steel
Junction Box	J04EA-EX IECEX Aluminum Junction Box
	Option –
	J04ES-EX IECEX Stainless Steel Junction Box
Warranty	1 year - Standard

Options on Weight Indicators:



Dini Argeo DFWL Dry Area Trade Approved

Associated Scale Services Pty Ltd Ph:+61 (0)7 3272 0077 Email: info@associatedscales.com.au Web: www.associatedscales.com.au